

COOL

DISPLAY SOLUTIONS INC.

2026 PRODUCT LINEUP

Sustainable | Energy Efficient | Recyclable



cooldisplaysolutions.com

Effective In-Store Cooling Solutions

Cool Display Solutions has been mastering the art of open-face refrigerated displays for over a decade.

At CDS, we are committed to the continuous development and enhancement of our chilled display offerings. Today, we provide a complete line of promotional refrigerated displays that empower our clients to launch and promote their products beyond the limitations of fixed, impersonal and generic coolers simply taking up space in highly competitive retail environments.

Our lineup includes both permanent and semi-permanent displays. The semi-permanent displays are highly durable and manufactured using environmentally friendly recycled corrugate, along with UV biodegradable inks.

Our permanent AVO line is constructed from metal and glass and features an easy-to-use, interchangeable graphics system made with sustainable materials.

The latest addition to this lineup, the AVO 48 Q-Line, combines a chilled, visually inviting product display with integrated ambient storage—perfect for capturing grab-and-go impulse purchases.

Every display in our lineup is designed with a single objective: to deliver impactful in-store brand communication. By capturing shopper attention with strong messaging and visual appeal, our solutions help drive meaningful increases in sales.





Capitalize on Shopper Engagement That Drives Sales

We believe shopping shouldn't be boring. Chilled products stuck in traditional coolers—and the shoppers browsing them—deserve better.

At Cool Display Solutions, we help brands break out of the aisle with engaging retail experiences. From global and regional brands to the growing importance of private label, we create bold promotional displays that boost visibility and create memorable shopping moments.

Our GRAB N' GO displays are designed to capture attention, drive engagement, and increase sales lift.

Partner with our expert team for end-to-end support—from design to full implementation—and deliver measurable impact where it matters most: at the point of purchase.





18"
(MAX)

65"

17"

17.5"

Reefer



CLASSIC 65 SLEEVE

TECHNICAL OVERVIEW

Height:	80" / 203.5cm
Width:	17.5" / 44.5cm
Depth:	17" / 44cm
Weight:	16.5lbs / 7.5Kg (approx.)
Material:	Cardboard (sustainable)
Shelves:	3 - 4 + bottom tray 16" x 11" x 1.5" / 41cm x 28cm x 3.5cm each shelf holds 50lbs / 22.5Kg
Content:	4.0 cubic ft./160L
Life Cycle:	12 weeks



SHIPS IN
1 COMPLETE
PACKAGE

REEFER UNIT

TECHNICAL OVERVIEW

Overall Dims:	20.4" x 17.7" x 17.3" 52 x 45 x 44 cm
Weight:	55lbs / 25Kg (approx.)
Technical Data:	2.3 A • 115 V • 60Hz.
Energy Usage:	8.5 kwh / day
Refrigerant	Climate-friendly R290
Temp:	1°C - 6°C / 33.8°F - 41°F
Top:	Polypropylene Casing with LED-outlet
Wheels:	4 (2 with brakes)
Base:	Metal Casing White Coated
Ambient:	Max 22°C / 60% Hum.

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler



CLASSIC 55 SLEEVE

TECHNICAL OVERVIEW

Height:	62" / 157.5cm
Width:	17.5" / 44.5cm
Depth:	17" / 44cm
Weight:	16.5lbs / 7.5Kg (approx.)
Material:	Cardboard (sustainable)
Shelves:	2 + bottom tray 16" x 11" x 1.5" / 41cm x 28cm x 3.5cm each shelf holds 50lbs / 22.5Kg
Content:	3.0 cubic ft./123L
Life Cycle:	12 weeks



SHIPS IN
1 COMPLETE
PACKAGE



Reefer



REEFER UNIT

TECHNICAL OVERVIEW

Overall Dims:	20.4" x 17.7" x 17.3" 52 x 45 x 44 cm
Weight:	55lbs / 25Kg (approx.)
Technical Data:	2.3 A • 115 V • 60Hz.
Energy Usage:	8.5 kwh / day
Refrigerant:	Climate-friendly R290
Temp:	1°C - 6°C / 33.8°F - 41°F
Top:	Polypropylene Casing with LED-outlet
Wheels:	4 (2 with brakes)
Base:	Metal Casing White Coated
Ambient:	Max 22°C / 60% Hum.

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





AVO 65

TECHNICAL OVERVIEW

Overall Dims:	17.25" x 19.5" x 65"
	43.8 x 49.5 x 165.1cm
Weight:	220 lbs / 100Kg (approx.)
Gross Volume:	9.42 cubic ft. / 267L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x3pcs:	Adjustable, 15.25" x 11"
	38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375"
	41.59cm x 31.43cm

STANDARD GRAPHICS KIT INCLUDES:

- 1) 1 Left and 1 Right Panel
- 2) 1 Upper Front Graphic
- 3) 1 Footer Graphic
- 4) 4 Shelf Talkers

OPTIONAL:

- 1 Custom Die-Cut Header (shown as dotted lines)

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





AVO 65 G

TECHNICAL OVERVIEW

Overall Dims:	17.25" x 19.5" x 65"
	43.8 x 49.5 x 165.1cm
Weight:	220 lbs / 100Kg (approx.)
Gross Volume:	9.42 cubic ft. / 267L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x3pcs:	Adjustable, 15.25" x 11"
	38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375"
	41.59cm x 31.43cm

STANDARD GRAPHICS KIT INCLUDES:


- 1) 1 Left and 1 Right Panel
- 2) 1 Upper Front Graphic
- 3) 1 Footer Graphic
- 4) 4 Shelf Talkers

OPTIONAL:

- 1 Custom Die-Cut Header (shown as dotted lines)

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





AVO 55 TECHNICAL OVERVIEW

Overall Dims:	17.25" x 19.5" x 55"
	43.8 x 49.5 x 139.7cm
Weight:	140 lbs / 63.5Kg (approx.)
Gross Volume:	4.41 cubic ft. / 125L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x2pcs:	Adjustable, 15.25" x 11"
	38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375"
	41.59cm x 31.43cm

STANDARD GRAPHICS KIT INCLUDES:

- 1) 1 Left and 1 Right Panel
- 2) 1 Upper Front Graphic
- 3) 1 Footer Graphic
- 4) 3 Shelf Talkers

OPTIONAL:

- 1 Custom Die-Cut Header (shown as dotted lines)

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





AVO 55G

TECHNICAL OVERVIEW

Overall Dims:	17.25" x 19.5" x 55"
	43.8 x 49.5 x 139.7cm
Weight:	140 lbs / 63.5Kg (approx.)
Gross Volume:	4.41 cubic ft. / 125
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x2pcs:	Adjustable, 15.25" x 11"
	38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375"
	41.59cm x 31.43cm

STANDARD GRAPHICS KIT INCLUDES:

- 1) 1 Left and 1 Right Panel
- 2) 1 Upper Front Graphic
- 3) 1 Footer Graphic
- 4) 3 Shelf Talkers

OPTIONAL:

- 1 Custom Die-Cut Header (shown as dotted lines)

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler




AVO 48 TECHNICAL SPECIFICATIONS

Overall Dims:	19.5" x 17.25" x 48" 49.5 x 44 x 122cm
Weight:	180 lbs / 81.6Kg (approx.)
Gross Volume:	9.42 cubic ft. / 267L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x2pcs:	Adjustable, 15.25" x 11" 38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375" 41.59cm x 31.43cm



KEY FEATURES:

- . Easy access
- . Easy maintenance
- . Easy to brand and rebrand!
- . Green refrigerant (R290)
- . Electronic thermostat
- . Two (2) vertical LED's



UNIVERSAL ACCESSORY PARTS



1A - PRODUCT SHELF
16.375" x 4.5" x 1.375"



2B - PRODUCT SHELF
16.375" x 5.5" x 1.375"



**3C - DRY GOODS
PRODUCT TOPPER**
19.5" x 17.5" x 7.5"



**4D - SELF-FACING ROLLER
TRACK SYSTEM (Bottles/Cans)**
16" x 10" x 3.5"

APPROVALS





AVO 55 TECHNICAL SPECIFICATIONS

Overall Dims:	19.5" x 17.25" x 55" 49.5 x 44 x 139.7cm
Weight:	180 lbs / 81.6Kg (approx.)
Gross Volume:	9.42 cubic ft. / 267L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x2pcs:	Adjustable, 15.25" x 11" 38.73cm x 27.94cm
Bottom Layer:	16.375" x 12.375" 41.59cm x 31.43cm



KEY FEATURES:

- . Easy access
- . Easy maintenance
- . Easy to brand and rebrand!
- . Green refrigerant (R290)
- . Electronic thermostat
- . Two (2) vertical LED's



UNIVERSAL ACCESSORY PARTS



1A - PRODUCT SHELF
16.375" x 4.5" x 1.375"



2B - PRODUCT SHELF
16.375" x 5.5" x 1.375"



**3C - DRY GOODS
PRODUCT TOPPER**
19.5" x 17.5" x 7.5"



**4D - SELF-FACING ROLLER
TRACK SYSTEM (Bottles/Cans)**
16" x 10" x 3.5"

APPROVALS





COOLCUBE


TECHNICAL OVERVIEW

Height:	60" / 152cm
Width:	17 3/4" / 45cm
Depth:	17 3/4" / 45cm
Weight:	20.5lbs / 9.7Kg (approx.)
Material:	Metal / Glass / Plastic
Life Cycle:	Permanent
Lighting:	2 Vertical LED Lights

REEFER UNIT

TECHNICAL OVERVIEW

Overall Dims:	20.4" x 17.7" x 17.3" 52 x 45 x 44 cm
Weight:	55lbs / 25Kg (approx.)
Technical Data:	2.3 A • 115 V • 60Hz.
Energy Usage:	8.5 kwh / day
Refrigerant	Climate-friendly R290
Temp:	1°C - 6°C / 33.8°F - 41°F
Top:	Polypropylene Casing with LED-outlet
Wheels:	4 (2 with brakes)
Base:	Metal Casing White Coated
Ambient:	Max 22°C / 60% Hum.




STANDARD GRAPHICS KIT INCLUDES:

1. Double-Sided Full Color Graphic Header
(Uses Sustainable Materials)
2. Full Color Outer Wrap Covers the Reefer Unit
(Uses Sustainable Materials)

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





AMBI-CHILL

TECHNICAL OVERVIEW

Height:	77" / 195.6cm
Width:	17.5" / 44.5cm
Depth:	18" / 45cm
Weight:	16.5lbs / 7.5Kg (approx.)
Material:	Cardboard (sustainable)
Shelves:	2
	16" x 16" x 1.5" / 41cm x 41cm x 3.5cm
	each shelf holds 50lbs / 22.5Kg
Life Cycle:	12 weeks

REEFER UNIT

TECHNICAL OVERVIEW

Overall Dims:	20.4" x 17.7" x 17.3"
	52 x 45 x 44 cm
Weight:	55lbs / 25Kg (approx.)
Technical Data:	2.3 A • 115 V • 60Hz.
Energy Usage:	8.5 kwh / day
Refrigerant:	Climate-friendly R290
Temp:	1°C - 6°C / 33.8°F - 41°F
Top:	Polypropylene Casing with LED-outlet
Wheels:	4 (2 with brakes)
Base:	Metal Casing White Coated
Ambient:	Max 22°C / 60% Hum.

ADDITIONAL FEATURES:

- Preset Digital Electronic Temperature Control
- Automatic Water Evaporation
- Plug & Play Cooler





ROADIE OVERVIEW

The Roadie is the right solution when the same refrigeration unit is moved several times from one event to another.

A very robust flight case protects the refrigeration unit against outer damage.

Small dents in flight case only add to the credibility! High-quality, lockable castors and side handles enables easy moving of the unit.

ROADIE TECHNICAL OVERVIEW

Overall Dims:	23.25" x 21" x 74.75" 59cm x 53cm x 190cm
Weight:	220 lbs / 100Kg (approx.)
Gross Volume:	9.42 cubic ft. / 267L
Power Input (W):	110 V
Lighting:	2 x Vertical LED
Compressor:	Danfoss R290
Temp:	1°C - 4.8°C / 32.9°F - 40.1°F
Defrosting:	Automatic
Evaporator Type:	Finned Coil
Condenser Type:	Low Maintenance
Temp Control:	Electronic
Ambient:	Max 22°C - 72°F / 60% Hum.
Shelving x3pcs:	Adjustable, 17.25" x 10.875" 43.8cm x 27.6cm
Bottom Layer:	17.25" x 10.875" 43.8cm x 27.6cm

Capacity:


3 x Adjustable Shelf:
24 bottles or cans per shelf
6 facings, 4 rows

Bottom Shelf:

24 bottles or cans
6 facings, 6 rows
TOTAL 96



Erasable Chalkboard
Inner Doors



2x Butterfly Lock



2x Lifting Handle



2 Turning Wheels with
Brake, 2 Fixed Wheels



STANDARD GRAPHICS KIT INCLUDES:


- 1) 1 Left & 1 Right Side Panel
- 2) 1 Left & 1 Right Door Panel
- 3) 1 Backlit Front Graphic
- 4) 4 Shelf Talkers
- 5) 1 Footer Graphic

GRAVITY FEED ROLLER TRACK SYSTEM

Sustainable

Recyclable

COOL
DISPLAY SOLUTIONS INC.




GRAVITY FEED ROLLER TRACK SYSTEM TECHNICAL OVERVIEW

Height:	.25" / 1.27cm (without plexiglass)
Width:	16" / 40.6cm
Depth:	10.5" / 26.7cm
Weight:	1/2 lb / .22Kg (approx.)
Material:	Aluminum / plexiglass / metal
Life Cycle:	Permanent


ADVANTAGES

- Easy installation as the roller tracks sit on top of existing shelves
- Gravity-feed design uses integrated rollers to self-face products
- Products remain visible and easily accessible
- Easy to stock and reset to minimize labor costs
- Ideal for beverages and dairy products




A: Can Configuration*
- Does **not** require dividers.

*Shown on an Avanto Shelf.



B: Bottle Configuration*
- Does require metal dividers.


*Shown on an Avanto Shelf.



AMBIENT TOPPER TECHNICAL OVERVIEW

Height:	7.5" / 19.5cm
Width:	19.75" / 50.1cm
Depth:	17" / 43cm
Material:	Powder coated metal
Life Cycle:	Permanent

Front Ticket Channel: 19.75" W x 4.25" H





PEG RACK SYSTEM

ADVANTAGES

- Easy installation, retro-fit any existing Classic 65 or AVO 65
- Products remain visible and easily accessible
- Easy to stock and reset
- Ideal for packaged meats and cheeses

SPECIFICATIONS

Available for the Classic 65 and AVO 65

Dimensions: 16" W x 33" H

THE PEG RACK SYSTEM CONSISTS OF:

- 1 white powder coated metal rack (removable)
- 12 zinc finish 6" snap-on pegs
- 12 snap-on plastic tag holders